



2886 Addendum 1 & 2 & 3

Dump Truck

THE DATE TODAY IS: June 8, 2018

Please note the following changes, additions and/or deletions to the procurement named above.

Correction: Updated specification for GVWR shall be 33,000 lbs. This addendum will be attached to a uncorrected bid copy.

QUESTION: Can bidders know the current diagnostic software Name and Version? Will we consider extended diagnostic system or must it be a new system? Do we have a contract for that system? Can the bidder add to the software contract perhaps years?

ANSWER: We currently have Cummins Insite, and Cummins Quickserve. They are the latest available versions. We can have the subscription extended when those periods end. We currently do not have any diagnostic software for Allison transmissions, so we would need to have that as a new subscription and service software.

QUESTION: Will you restate your request of a 26,000 GVWR truck to have a 73,000 GCWR.

ANSWER: Updated specification for **GVWR shall be 33,000 lbs. This addendum will be attached to a uncorrected bid copy.**

Question: The bid asks for min. 12k front GAWR on page 4 but a 9k on page 5, I can supply a 10k or 12K

ANSWER: Yes

Question: We only offer a maintenance free bushing no needle bearing option.

Answer: That will be fine

Question: Did you want syn lube on the front hubs?

Answer: Yes

Question: Radio is not standard, do you want an am/fm with aux input (base model)?

Answer: No

Question: No convex or down view mirror requested on bid docs. Do you want these added?

Answer: Yes

Question: Your bid requires 3 keys and fobs. The Fobs are for electric door locks, but the bid didn't include electric door locks. Would you like electric door locks?

Answer: Yes

These three images answer questions about the paint scheme, and body configuration.



NEW BID CLOSING DATE: JUNE 11, 2018 2:00 pm

his **addendum must be** acknowledged and may be returned separately. This signed Addendum may be emailed to Ray Ambler at r_ambler@ci.lompoc.ca.us. Thank you,

Ray Ambler

Ray Ambler
Buyer

Bidder's Acknowledgment: I/We the undersigned bidder hereby acknowledge this Addendum to BID #2886-1 and -2.

(Please type or print)

COMPANY NAME

NAME OF AUTHORIZED REPRESENTATIVE

ADDRESS

AUTHORIZED REPRESENTATIVE (PLEASE PRINT)



2886 Addendum 1 & 2

Dump Truck

THE DATE TODAY IS: June 4, 2018

Please note the following changes, additions and/or deletions to the procurement named above.

QUESTION: Can bidders know the current diagnostic software Name and Version? Will we consider extended diagnostic system or must it be a new system? Do we have a contract for that system? Can the bidder add to the software contract perhaps years?

ANSWER: We currently have Cummins Insite, and Cummins Quickserve. They are the latest available versions. We can have the subscription extended when those periods end. We currently do not have any diagnostic software for Allison transmissions, so we would need to have that as a new subscription and service software.

QUESTION: Will you restate your request of a 26,000 GVWR truck to have a 73,000 GCWR.

ANSWER: Updated specification for GCWR shall be 33,000 lbs. This addendum will be attached to a uncorrected bid copy.

Question: The bid asks for min. 12k front GAWR on page 4 but a 9k on page 5, I can supply a 10k or 12K

ANSWER: Yes

Question: We only offer a maintenance free bushing no needle bearing option.

Answer: That will be fine

Question: Did you want syn lube on the front hubs?

Answer: Yes

Question: Radio is not standard, do you want an am/fm with aux input (base model)?

Answer: No

Question: No convex or down view mirror requested on bid docs. Do you want these added?

Answer: Yes

Question: Your bid requires 3 keys and fobs. The Fobs are for electric door locks, but the bid didn't include electric door locks. Would you like electric door locks?

Answer: Yes

These three images answer questions about the paint scheme, and body configuration.



NEW BID CLOSING DATE: JUNE 11, 2018 2:00 pm

his **addendum must be** acknowledged and may be returned separately. This signed Addendum may be emailed to Ray Ambler at r_ambler@ci.lompoc.ca.us. Thank you,

Ray Ambler

Ray Ambler
Buyer

Bidder's Acknowledgment: I/We the undersigned bidder hereby acknowledge this Addendum to BID #2886-1 and -2.

(Please type or print)

COMPANY NAME

NAME OF AUTHORIZED REPRESENTATIVE

ADDRESS

AUTHORIZED REPRESENTATIVE (PLEASE PRINT)



2886 Addendum 1

Dump Truck

THE DATE TODAY IS: Wednesday, May 30, 2018

Please note the following changes, additions and/or deletions to the procurement named above.

QUESTION: Can bidders know the current diagnostic software Name and Version? Will we consider extended diagnostic system or must it be a new system? Do we have a contract for that system? Can the bidder add to the software contract perhaps years?

ANSWER: We currently have Cummins Insite, and Cummins Quickserve. They are the latest available versions. We can have the subscription extended when those periods end. We currently do not have any diagnostic software for Allison transmissions, so we would need to have that as a new subscription and service software.

QUESTION: Will you restate your request of a 26,000 GVWR truck to have a 73,000 GCWR.

ANSWER: Updated specification for GCWR shall be 33,000 lbs. This addendum will be attached to a uncorrected bid copy.

NEW BID CLOSING DATE: JUNE 11, 2018 2:00 pm

his **addendum must be** acknowledged and returned separately. This signed Addendum may be emailed to Ray Ambler at r_ambler@ci.lompoc.ca.us. Thank you,

A handwritten signature in black ink that reads "Ray Ambler".

Ray Ambler
Buyer

Bidder's Acknowledgment: I/We the undersigned bidder hereby acknowledge this Addendum to BID #2886-1.

(Please type or print)

COMPANY NAME

NAME OF AUTHORIZED REPRESENTATIVE

ADDRESS

AUTHORIZED REPRESENTATIVE (PLEASE PRINT)



**INVITATION TO
BID NO. 2886 – DUMP TRUCK 5 YARD
Dated: 5/11/2018**

The City of Lompoc is currently soliciting bids for: **Dump Truck 5 yard.**

BIDS MUST BE RECEIVED BY 2:00 PM, JUNE 4, 2018

**BIDS MUST BE DELIVERED TO:
City of Lompoc Purchasing Division
Building 4 A
1300 West Laurel Ave.
Lompoc, Ca 93436**

In order to be sure that you are listed as an "Registered Bidder" and advised of any changes please complete and fax to this office the "Registered Bidder Information Sheet" today before you prepare and send your bid. Not returning the Registered Bidder Information Sheet may be a reason for disqualification.

QUESTIONS: Questions may be submitted, by written request, for an interpretation or correction thereof. Fax inquires to: Ray Ambler, Purchasing & Materials Manager (805) 735-7628 or by email to r_ambler@ci.lompoc.ca.us

A late bid/proposal will be returned to the bidder/proposer unopened. The receiving time in the Purchasing Office will be the governing time for acceptability of bid/proposals. Bid/proposals will not be accepted by telephone or facsimile machine.

A handwritten signature in black ink that reads "Ray Ambler".

Ray Ambler
Purchasing and Materials Manager



“Registered Bidder Information Sheet”

Opening Date: June 4, 2018

Please immediately complete and fax this page to (805) 735-7628 to be added to the list to receive all clarifications and addendums.

Company Name

Signature of Authorized Representative

Name & Title (please print)

Street Address

E-Mail Address

City, State, Zip Code

Telephone Number

Date

Facsimile Number

Web Page Address

Dump Truck Bid Spec (Electric) - 04112018

SPECIFICATION SCOPE:

This specification describes the City of Lompoc minimum requirements for one (1) new, unused 2018 Dump Truck 26,000 GVWR, 73,000 GCWR.

For example; 2016 Freightliner M2 106 with Scelzi 5-7 yard Dump Body or equivalent will meet the requirements of this specification].

Vehicle shall be supplied with all equipment and accessories indicated as standard equipment in the manufacturer's published literature (or web site).

Optional equipment necessary to meet the minimum requirements of this specification shall be included and covered under manufactures warranty.

All applicable permits and licenses shall be provided.

Mark One Comply ___ Do Not Comply ____ List differences

WARRANTY AND SERVICING:

Provide 2-year/Unlimited mile coverage with no deductible and 2-year/unlimited mile Engine and Transmission warranty with no deductible. (Delayed warranty start).

All warranty repairs shall be performed by a full service dealership, stocked with factory parts and performed by factory trained staff capable of performing all warranty and non-warranty repairs.

Service Center/Dealership shall be located within 50 miles of the City of Santa Barbara.

State the Dealer Service Center City Zip _____

Mileage to Santa Barbara _____

Mark One Comply ___ Do Not Comply ____

List differences

ENGINE:

Turbo charged, intercooled diesel engine with 260hp / 660 lb. ft. Torque

Engine shall meet California Emissions standards.

Hoses-EPDM. (ethylene-proylene-diene monomer)

Alternator – 145 amps. Heaviest available from manufacturer.

Batteries – Dual, heavy-duty maintenance free, 1700 CCA total minimum, located outside of cab under driver’s seat.

Secondary Braking

Mark One Comply ___ Do Not Comply ____ List differences

TRANSMISSION:

Allison 2500 series RDS Automatic 6 speed with double overdrive, and lock up 2nd-6th gears.

Transmission shall come equipped with Power Take Off provision. PTO Operation shall not be limited to Neutral and Park Position. PTO switch in cab pre-wire from factory including on/off switch.

Mark One Comply ___ Do Not Comply ____
List differences

CHASSIS:

GVWR – 26,000 lbs.

GAWR, front – 12,000 lbs., minimum.

GAWR, rear – 21,000 lbs., minimum.

Mark One Comply ___ Do Not Comply ____
List differences

Wheelbase 153”;

Cab to Axle 84", approximately.
Clear Frame: cab to rear axle both sides.

Frame rails high strength low alloy steel (80,000 PSI Yield).

Integral power steering with variable ratio.

Front axle, non-driving I-beam type with needle bearing, no kingpin bushing, 9,000-lb capacity.

Front suspension, 12,000-lbs. capacity. Parabolic, taper leaf, 12,000-lb capacity.

Rear axle, Full-floating single-speed, 21,000-lbs. capacity. Rear axle shall be filled with Synthetic oil, including rear wheel bearings.

Rear axle ratio – Rear axle ratio shall be capable of maintaining highway speed when truck is operating under full load, maximum GVW, while ascending a 3% grade.

Frame mounted left hand side under cab, 50 gallon fuel tank capacity with 6 gallon DEF tank.

Starter interruption to prevent from engaging while the engine is running.

Mark One Comply ___ Do Not Comply ____
List differences

BRAKES:

Dual air brake system for straight truck. Four channel anti-lock brake system. Air dryer with heater mounted under hood in engine compartment. Drain valves twist-type, dual air pressure gauge, dash mounted parking brake control valve (yellow knob) front and rear s-cam brakes with automatic slack adjusters. Front and rear outboard mounted brake drum. Capable of stopping and holding on 6% grade loaded to maximum GVW. Trailer air brake shall include, air lines to rear of frame, hand brake control valve, tractor protection valve and glad hands.

Mark One Comply ___ Do Not Comply ____ List differences

CAB AND INTERIOR:

Aluminum conventional cab configuration with easy accessible access. Low step in height with interior and exterior grab handles. Tilt/Telescoping steering wheel. Keys for doors and ignition shall be keyed alike.

Three (3) sets of keys/fobs shall be delivered with chassis.

Air conditioning with cabin air filter.

Heavy-duty front bench seat with heavy-duty vinyl upholstery and seating and seatbelts for three people. Grey in color if available. Note if different.

Heavy-duty black vinyl floor covering.

Manufacturer's standard radio.

Speedometer, Oil pressure, voltmeter, airbag and ABS warning lights, fuel level, coolant temperature and trip odometer. Diesel exhaust fluid level, and particulate trap soot level.

Diesel particulate filter shall allow for manual regeneration when soot level reaches manufactures predetermined level.

Exterior mirrors shall be breakaway type (painted black) that shall provide visibility for entire length of truck and rear vision with load body at maximum allowed width.

Clearance lights and reflectors shall be Grote LED's and furnished in accordance with the provisions of the California Vehicle Code and Department of Transportation legal requirements.

Back up alarm, Preco model 45AA, or approved equal.

Mark One Comply ___ Do Not Comply ____
List differences

TIRES AND WHEELS:

Front tires with wheels – Two (2) 11R22.5 Goodyear G661 H SA load range G, 14-ply radial tires with wheels, or approved equal, painted white.

Rear tires with wheels – Four (4) 11R22.5 Goodyear G661 H

SA load range G, 14-ply radial tires with wheels, or approved equal, painted white.

Mark One Comply ___ Do Not Comply ____
List differences

PAINT:

Paint scheme shall match current City of Lompoc vehicles. Bidder shall contact the City to ensure compliance. Primary color manufacture's white base and clear coat finish.

Mark One Comply ___ Do Not Comply ____
List differences

DUMP BODY OR EQUAL:

"2016 Freightliner M2 106 with Scelzi 5-7 yard Dump Body (page 47 - 2018 catalog) or equivalent will meet the requirements of this specification)."

Dump Body 5-7 yard 10 foot. Constructed 10 gauge sides and front. 3 corrugations in front panel. 4" flange boxed top rail. Sloped running boards closed at bottom. 45 degree sloped rub rail. Horizontal center side braces. Radius front corner posts with recessed clearance lights on lower post. Safety body support prop with easy operator access and storage. Swivel hinged rear mud flaps with anti-sail and fold up provision. Sloped half cab shield.

Mark One Comply ___ Do Not Comply ____
List differences

24" high sides with 10" elevated rear tailgate at 34" high. Floor plate 3/16" floor with beveled corners. One quarter size California Title 8 cab shield guard.

8" Channel longitudinal sills. No cross bars - no sub frame.

Step ledges on lower rail each side, two step folding assist ladders one on each

side front of body, ladders shall be stowed in folded position, corresponding grab handles two each on both sides each side front of body, corresponding grab handles two each on both sides at top rail.

Air-Operated trip lever tailgate lock. Corner position doors to each have extended removable handles w/storage pegs. Positioning stay chains on each door. Rear spreader apron 3/16"x 8" HI-Tensile.

Mark One Comply ___ Do Not Comply ____
List differences

Tarp system to be asphalt grade full width tarp, shielded and semi autoretractable with external ratcheting spring adjustment. Tarp system shall be equipped with side flaps with rope hooks evenly spaced both sides. Tarp system shall be stowed out of the bed area and protected.

Direct coupled hydraulic gear pump. Hydraulic control valve integrated on oil reservoir, in cab hoist control lever with pedestal stand, detent center lock out position with spring return to neutral for safety.

Two part epoxy primer base paint coat. Acrylic urethane hard gloss top enamel paint to match cab color. All recessed grommet mounted LED clearance lights and auxiliary Upper Rear taillights.

Dock Bumper HD-ICC with pintle hook, Class VI Premier 580 type pintle tow hitch, 2 D-Rings, 7 pin-trailer plug (Cole Hersee 12063), 6 pin-trailer plug (Cole-Hersee 1235) and glad hands. Light plugs shall be wired for tail lights and combination stop-turn signal lights. Glad hands location shall prevent contact with dump body while dump body is in use.

Full underbody NETA Class 50 Rating at 17 ton lifting capacity. 6" I.D. cylinder with 2.5" chromed shaft. Dump body to have a 50 degree effective dump angle. Full double acting cylinder hydraulic power or positive control throughout the dumping cycle.

Mark One Comply ___ Do Not Comply ____
List differences

TOOLBOXES:

Toolbox 36" to be mounted on driver side front of tire.

MISCELLANEOUS:

All regular pre-delivery and warranty services shall be provided, including front End aligned, tires balanced, and headlights properly adjusted.

All other equipment to meet or exceed State of California, and Federal Safety Standards shall be provided.

All other standard equipment shall be provided. All equipment shall be manufacturer installed unless otherwise specified.

Safety equipment shall be provided including:

- first aid kit,
- road side safety triangles and
- fire extinguisher.

LICENSING:

Vendor shall register the vehicle with the California Department of Motor Vehicles and provide EXEMPT license plates.

SHOP MANUALS:

One each complete operating, maintenance, electrical and service manuals for the truck chassis.

DIAGNOSTIC EQUIPMENT AND SOFTWARE

Vendor shall include diagnostic software to facilitate communication with the Various electronic systems incorporated and used in the design of this vehicle not limited to the following:

- Diagnostic software for chassis engine
- Diagnostic software for chassis transmission
- Diagnostic software for braking system

Bidder shall provide one-year subscription for any software if applicable.

Subscription shall begin when the vehicle is operational and placed into service

Mark One Comply ___ Do Not Comply ____

List differences

The City has a local vendor preference. Under the Lompoc City code, in determining a lowest price, the ultimate receipt of local sales tax (1%) by the City shall be considered. However, all vendors who work within city limits of the City of Lompoc are required to have a Business Tax License. If you do not have a Business Tax License please contact the Lompoc City Clerk=s department at (805) 875-8242.

Do you conduct business in an office with a physical location within the City of Lompoc and therefore claim local vendor preference? _____ yes or no.

BID FORM

The undersigned agrees to sell, F.O. B. Destination, to the City of Lompoc the goods/services specified in accordance with this bid. I/We have stated hereon the price(s) at which we will accept as full payment the amount shown below.

F.O.B. destination indicates that the seller is responsible for the shipment until it reaches its destination, even if freight is allowed and paid by the buyer.

City of Lompoc Business Tax License Number: _____

Business Name, within the City of Lompoc: _____

Business Address within the City of Lompoc: _____

ITEM(S)	DESCRIPTION	PRICE
1	Dump Truck 5 yard Lump Sum Price	
	Truck frame & Rails Manufacturer _____ Model _____ Year of manufacture _____ Transmission _____	
	Dump Body Manufacturer _____ Model _____ Year of manufacture _____	
	Delivery Shipping	
	Sub-total	
	Sales Tax @ 7.75%	
	Total of all Charges	

Truck Warranty Period: _____.

Dump Bed Warranty Period: _____

Delivery time after receipt of order _____ / days.

Non-California Bidders:

Are you registered with the State of California as authorized to collect California State Sales Tax? YES NO.
California Sellers Permit Registration No. _____ (if applicable)

Do you agree _____/disagree _____ to extend this agreement to other government agencies.

The following discounts will be considered in award of bid:

Discount for payment of invoice within 20 days of receipt of invoice _____%.

We hereby certify that:

-This bid was not made in the interest of or on behalf of any undisclosed person, partnership, association or corporation.

-This bid is genuine and not collusion or sham; and that we did not, directly or indirectly, induce or solicit anyone else to submit a false or sham bid.

-We have not, directly or indirectly, by agreement, communication or conference with anyone attempted to induce action prejudicial to the interest of the City of Lompoc, or any other bidder or anyone else interested in the proposed contract; and further,

-Did not, in any manner, directly or indirectly, seek by agreements, communications, or conference with anyone to raise or fix any overhead, profit, or cost element of this bid price, or that of anyone else.

ORIGINAL SIGNATURES (COPIES WILL NOT BE ACCEPTED).

UNSIGNED BIDS WILL NOT BE CONSIDERED.

Submission of a signed bid will be interpreted to mean that bidder has read the entire document and agrees to all of the terms and conditions set forth in all the sheets which make up this invitation.

(Please type or print)

COMPANY NAME
REPRESENTATIVE

SIGNATURE OF AUTHORIZED

ADDRESS

NAME AND TITLE (PLEASE PRINT)

CITY, STATE AND ZIP CODE

E - MAIL ADDRESS

PHONE NUMBER

WEB PAGE

FAX NUMBER

DATE

GENERAL TERMS AND CONDITIONS

ISSUANCE OF BID: This bid request creates no obligation on the part of the City and the City reserves the unconditional right, at its option, to either reject all bids or waive any irregularities or informalities therein.

BID SUBMISSION: Bids must be submitted on bid forms provided herein, completed and signed, in a sealed envelope showing on the outside of the envelope the name of bidder, bid title, and date and time of opening. Prices shall be printed in ink or typewritten. No erasures are permitted. Mistakes may be crossed out and corrections printed adjacent and initialed in ink by person signing the bid. Bidders must complete and return the Compliance/Deviation column of the specification page(s) in order to be considered.

BID VALIDITY/WITHDRAWAL: Prices shall remain valid for ninety (90) days from date of opening and be inclusive. Bids submitted may be withdrawn by written request received BEFORE the hour set for opening. No bidder may withdraw their bid after the time set for opening.

MATERIAL SAFETY DATA SHEETS: When applicable, bidders shall conform to California Labor Code, Section 6360 and Title 8 CAC, Section 339 and 5194 and submit MSDS on hazardous substances with bid.

LOWEST APPARENT BIDDER SUBMITTAL REQUIREMENTS: The lowest apparent bidder may be required to submit the following:

- a) Proof of authorized distributorship
- b) A sample or demonstration of any product/unit offered. Samples and/or demonstration must be free of expense to the City.
- c) City Business Tax number
- d) PUC permit
- e) Insurance requirements

- f) Proof of driver training on hazardous substances
- g) References

COMPLIANCE WITH LAWS: All bids shall comply with current federal, state and local laws relative thereto, including applicable Federal and State Occupation Safety and Health laws and that Seller will indemnify and hold the Buyer harmless for any failure to so conform.

NEW/UNUSED AND LATEST MODEL: Bidders shall provide pricing on new and unused items, material and/or units specified unless otherwise stated in specifications.

BRAND NAMES: Brand names are used to establish a level of quality only. Bids will be considered for any brand which meets or exceeds the quality of the specifications listed for any item. Bids that deviate from the specifications must be clearly defined. The City will have the sole right to determine whether an alternate is acceptable.

F.O.B. POINT AND SHIPPING CHARGES: All prices shall be quoted F.O.B. destination Lompoc, California. Any and all shipping, handling and freight charges shall be shown separately unless otherwise noted on bid form.

LAWS GOVERNING CONTRACT: The contract shall be in accordance with the laws of the State of California and the County of Santa Barbara is the only appropriate forum for any litigation.

In the event a suit or action is instituted arising out of any contract, the prevailing party shall be entitled to receive, in addition to its cost, such sum as the court may adjudge reasonable as to attorney's fees and costs.

TAXES (FEDERAL EXCISE/SALES OR

USE/LOCAL PREFERENCE: The City is exempt from Federal Excise Tax. All taxes, if applicable, shall be shown on bid form page. ALL TAXES; Sales, Use and Local Preference will be a consideration in bid evaluation.

MINORITY BUSINESS ENTERPRISES: It is the policy of the City that minority business enterprises shall have the maximum opportunity to participate in the City's bidding requirements.

EQUAL EMPLOYMENT OPPORTUNITY: It is the policy of the City to promote the full realization of equal employment opportunity.

COOPERATIVE PURCHASING: The successful bidder may agree to extend all terms and conditions to other tax-supporting agencies upon their request. These agencies will issue their own purchase order and be billed directly by supplier. Bidders agreement or disagreement must be stated on bid form and will not effect bid evaluation.

BID PROTEST: Interested parties wishing to protest City solicitation documents may obtain a copy of Lompoc Code, Chapter 26, Section 2642, Section 26 by calling the Purchasing Office at 805-875-8000 or on the City's web site at:
<https://bit.ly/2KSKoec>

AWARD: Contracts shall be awarded to the bidder whose offer is determined to be the most advantageous to the City from the standpoint of suitability to purpose, quality, service, previous experience, price, ability to deliver, or for any other reason deemed by the Purchasing Manager to be in the best interests of the City and, as such, will not be determined by price alone and may not be the lowest bid especially where services are of utmost importance.

When there is more than one (1) item, the City reserves the right to award separately or as a whole. Bidders must state "all or none" on bid form. If optional items or trade-ins are requested, the City may accept or decline such items.

SELL OR ASSIGN: Contractor shall not have the right to sell, assign or transfer any obligations resulting from the award without the specific written consent of the Purchasing and Materials Manager.

ENTIRE AGREEMENT Any Agreement resulting from this Bid will consist of the following documents, in order of precedence, and shall be the entire agreement between parties:

- A. Purchase Order
- B. CITY 's Invitation to Bid
- C. Attachments
- D. CONTRACTOR 's Bid

