

Date Submitted _____

A completed application includes the following:

All City forms available at Planning Division <https://www.cityoflompoc.com/government/departments/economic-community-development/planning-division/planning-applications-forms-and-submittal-checklists>

- Fees and/or deposit paid according to Master Fee Schedule
- \$55.00 Document Imaging Fee
- Completed “Agreement for Payment of Application Processing Fee” forms for **Planning & Engineering**
- One (1) digital copy** (PDF Format) of the Erosion and Sediment Control Plan
- Owner Name _____
- Owner Address _____
- Owner Phone _____
- Owner Email _____
- Contractor Name _____
- Contractor Address _____
- Contractor Phone _____
- Contractor Email _____
- Location _____
- Property Size _____
- Area of Disturbance _____
- Distance to: Santa Ynez River _____, Miguelito Creek Channel _____
- Project Threat To Water Quality, Risk Level 1 _____ or Risk Level 2 _____
- Project Start and Anticipated Completion dates _____
- List all applicable permits associated with the development, including, but not limited to the State Water Board’s Construction General Permit, State Water Board 401 Water Quality Certification, U.S. Army Corps 404 permit, and California Department of Fish and Wildlife 1600 Agreement.

- Attach a construction schedule and include Phasing, if any.
- Provide a written rationale for the choice of each BMP (Including supporting soil loss calculations, when requested).
- Five (5) copies of the Erosion and Sediment Control Plan sheet which include the following information:
 - Plan scale shall be not less than one (1) inch equals one hundred (100) feet or as may be necessary to show all details clearly.
 - Sheet size shall be 24” x 36”.
 - When plan consists of more than two (2) sheets, a key sheet shall be included and the particular number of the sheet and total number of sheets comprising the plan shall be stated on each sheet.
 - A title which shall contain the development name, project number, type of development, and address and/or Assessor’s Parcel No. (s) of the project site.
 - The boundaries of the property along with the dimensions
 - Date, a north arrow, and the plan scale (both written and graphic)
 - The existing topography of the site, with the following contour intervals:
 - One (1) foot when the slope of ground is less than five percent (5%), or
 - Two (2) feet when the slope of ground is greater than five percent (5%).

- Show and list appropriate project and site specific Best Management Practices (BMPs) adequate to prohibit the discharge of sediment/dust or other pollutants from the construction site during each phase of construction. BMPs shall include, but not be limited to:
 - Straw Rolls and/or silt fence
 - Inlet Protection (gravel bags, filter fabric)
 - Construction Entrance (rumble strips, rocked entrances)
 - Dust Control (Regular watering / chemical fixative / stockpile covers)
 - Concrete Washout
 - Drip Pans for equipment stored on-site
 - Secondary Containment for hazardous materials
 - Check dams, berms or other barriers to control discharges.

Note: Each construction site shall maintain a spill kit, including absorbents, for use in case of a spill.

Note: If revisions are made to this Erosion and Sediment Control Plan, they shall be submitted to the Lompoc Planning Division for review, prior to implementation.

Note: Sites operating under an approved Erosion and Sediment Control Plan are subject to inspection by the City at any time. Compliance with this ESCP will be enforced.

Date of Erosion and Sediment Control Plan Approval_____

Approved By: Signature:_____

Printed Name:_____

(Approval Stamp)