

INVITATION TO BID NO. 2964-

LANDFILL COMPACTOR, 826K

Dated: 04/29/21

- We ask for your bid and offer consistent with the attached specifications. Security Access at this office may delay delivery. Please allow time. We will accept bids
- Delivered by U.S. Mail or other delivery service. All bids must be sealed paper bids which may be delivered to

Office of the Purchasing and Materials Manager, 1300 West Laurel Avenue Building 4A, Lompoc, California 93436

- Ending date and time will be on or before 2:00 P.M. __05/21/21______
- **Registration**: To be added to the mailing list, to receive all clarifications and addendums, please immediately complete the Proposer Contact Information Sheet and fax to (805) 735-7628.
- **No contact.** From the issue date through the contracting period, the only authorized City contact will be the Purchasing Officer or the Purchasing staff contact listed below. Interested bidders or their representatives are not allowed to communicate with other City staff regarding this solicitation. If any bidder is found to be in violation of this provision, the City reserves the right to reject their proposal.
- Late bids/proposals will not be considered but retained in file. The receiving time in the Purchasing Office will be the governing time for acceptability of proposals. Proposals will not be accepted by telephone or facsimile machine. All proposals must bear original signatures and figures.
- Questions: Questions may be submitted, by written request, for an interpretation or correction thereof. Fax inquires to (805) 735-7628 or email inquiries to purchasing@ci.lompoc.ca.us

Luis Hilario Jr. Buyer Write bidder company name here. _______ Company and return page. Page 2

"Registered Bidder Information Sheet"

To stay informed of any changes or modifications to this bid you must:

- 1. Immediately complete this form (print or type your information).
- 2. Fax the completed sheet to (805) 735-7628 or email to purchasing@ci.lompoc.ca.us

(Please type or print)

QUINN COMPANY	JACOB BATES
COMPANY NAME	AUTHORIZED REPRESENTATIVE (PLEASE PRINT)
(805) 245 - 0639	jacob. bates @ quinn company. con
PHONE NUMBER	E-MAIL ADDRESS
A	Janob 7 At
For each product you propose, complete the continuous and submit before the final day to accept bids are send by fax to (805)735-7628 on or before	npactor pre-qualification checklist (page 3-10) nd email to <u>purchasing@ci.lompoc.ca.us</u> or We will respond as quickly as
possible. Send no cost price schedule for pre-qua	alification

In confirmation that the Bidder shall, if awarded the contract, perform in strict compliance with the specifications, the Bidder shall indicate in the spaces provided herein whether its equipment or materials meets or exceeds the specifications listed.

If the Bidder's material or equipment meets the specifications, complete the item line by the use of the word "meets". In any instance where specifications are exceeded, the Bidder shall explain in writing how the specification is exceeded.

date [Type here]

Write bidder company name here.

BUINN COMPANY

and return page. Page 3

Specifications

Please complete all pages and return as part of the bid.

This specification describes one (1) each Landfill Compactor, such as Caterpillar 826K or approved equivalent. New and unused, latest model, complete with all equipment and accessories, service parts and driver inspection, maintenance, service and manuals and training, necessary for safe and efficient operation.

This equipment will be used by the City of Lompoc Landfill for the moving and compacting of the refuse in the City Landfill.

BID SUBMISSION: Bids must be submitted on bid forms provided herein, completed and signed, showing on the outside of the sealed envelope the name of bidder, bid title, and date and time of opening.

Check if Check YES if NO

Comply

if NO If no comply explain deviation. Comply

BASIC SPECIFICATIONS

Engine shall have a minimum of 405 net hp (302 kW) and 435 gross hp (324 kW) rated at 1800 rpm.	/		
Operating weight with ROPS cab and Landfill blade shall be a minimum of 87,000 lb (39,465 kg) and a maximum of 90,000 lb. (40,500 kg.)	1		
Total machine width over wheels shall not exceed 150 inches (3800 mm).	1		
Machine height to top of cab with air conditioner shall be 15 feet (4568 mm).	/		
Machine wheelbase shall be 12.20 feet (3700 mm).	1		
Length of machine with blade on the ground shall be 28.58 feet (8715mm).	1		
Machine ground clearance shall be 24 inches (642 mm).	/		

ENGINE

Engine shall be US Tier IV Final compliant & Certified.	/	*
Engine shall be a liquid cooled six cylinder four stroke cycle diesel type, turbo charged, wet sleeve design, fully equipped with all operating accessories including run hour meter.	1	

[Type here bid number]

Landfill Compactor 826k

date [Type here]

Write bidder company name here. QUINN COMPANY all	nd returi	n page.	Page 4
Engine shall have a minimum 927 cubic inch (15.2 liter) displacement.	/		
Engine shall be equipped with a direct injection fuel system.	/		
Engine lubricating oil shall be filtered, cooled and supplied by a gear-type pump.	1		
All heat exchangers and radiators shall be trash specific, a heavy-duty open core design and maximum core of 6 fins per inch (25 mm) of Aluminum. No tools shall be required to access for inspection and cleaning.	/		
All air intakes shall be mounted as high as possible and guarded for protection from debris. Optional Optimax Sy-Klone two-stage turbine precleaner system shall be available.	/		
Engine shall be equipped with a 24v electrical system for both starting and operating with a minimum 105-amp alternator.	/		
Machine shall be equipped with an on-demand, hydraulic driven reversible fan with automatic timer and manual control.	/		
Engine shall be equipped with direct electric start.	/		
Engine shall be equipped with a cold weather starting aid system.	/		
Machine shall have an engine block heater available.	/		
Radiator fan shall swing out to provide easy access without special tooling for inspection, servicing and cleaning.	/		
The fan and radiator shall be isolated away from the engine for a quieter running machine.	/		
An emergency engine shutdown switch shall be located inside the left bumper door for simple access.	/		
Machine shall be equipped with 4 heavy-duty 1000 CCA maintenance free batteries.	/		
Machine shall be equipped with a dry type radial seal air cleaner with primary and secondary elements with service indicator locally mounted.	/		
Machine shall be equipped with oil pumps sufficient for continuous use on 2:1 slopes, (50% or 26°).	/		
Machine shall be equipped with large capacity, trash specific coolers for engine, hydraulic and transmission oils.	/		

The second secon	5 may			G1 70
Typa	horo	hid	num	hor
Type	HEIE	DIU	Hulli	nei

date [Type here]

Write bidder company name here. QUIND COMPANY all	nd return page.	Page 5
Machine shall have a planetary power shift transmission with two speeds forward and reverse and capable of making speed and direction changes at full speed without manual engine deceleration. EcoMode available in First Forward and First Reverse.	/	
Maximum low speed range shall be no slower than 3.7 mph (6.0 km/h) in forward or 4.6 mph (7.4 km/h) reverse. Maximum high-speed range shall be no slower than 6.6 mph (10.6 km/h) in forward or 7.6 mph (12.2 km/h) reverse.	/	
Throttle lock shall be available to allow the operator to preset engine speed for operator and machine efficiency.	1	
Controlled Throttle Shift shall work with the Transmission Electronic Control Module to prolong transmission life through efficient, smooth shifting.		
Machine shall have a decelerator pedal.	1	
Machine shall have Torque Converter with Lock-up Clutch	1	
Machine shall have outboard final drives and rear No-SPIN differential standard with front No-SPIN available as an option.		

STEERING

Inside turning radius shall be 9.17' (2797 mm).	/	
Outside turning radius shall be 24.06' (7333 mm)	/	
Total articulation angle shall not exceed 86° (43° each way).	1	
Steering time at engine speed 1800 RPM of 3.6 seconds.	1	
Standard Steering and Transmission Integrated Control System (STIC) - allowing the operator to control steering and direction as well as gear selection with the left hand.	/	

BRAKES

Service brakes shall be full hydraulic, wet multi-disc,	,	
completely enclosed and located before the final drives on		
front axle with modulated engagement.		

Туре	horo	hid	num	horl
lighe	HEIE	DIG	Hulli	neil

date [Type here]

Write bidder company name here. QUINN COMPANY al	nd return page.	Page 6
Machine shall have a drum & shoe, spring applied, hydraulic release parking brake located on the driveline with a slope	/	
holding ability of 17° minimum.	V	
HYDRAULIC SYSTEM		
All hydraulic pumps shall be mounted on a single pump drive for improved serviceability	/	
Hydraulic Lift System shall be a piston pump with flow of 117 L/min output at 1800 RPM and 1000 psi (6900 kPa).	1	
Hydraulic lift relief valve setting shall be 3495 psi (24 100 kPa).	<i>y</i>	
Lift cylinder bore & stroke shall be 4.7 in x 42.1 in (120 mm x 1070 mm).	/	
A single lever dozer control shall hydraulically control all blade functions; Raise, lower, hold and float.	/	
AXLES		
Axle shafts shall be free floating and able to be removed independently from the wheels and planetary drives.	/	
Planetary units shall be able to be removed independently from the wheels and brakes.	/	
WHEELS		
Wheels shall be designed and supplied by original equipment manufacturer and are to be compatible with the standard machine manufacturer's axle guards and protection.	1	
All four (4) wheels shall be identical with a minimum of 47" (1200 mm) in width and have an outer diameter (including teeth) of no more than 78" (1971 mm), with a maximum of 30 weld-on long life tips per wheel.		
Each wheel shall have striker bars located in front of and behind the rear wheels and behind the front wheels providing protection from debris carried by wheels.	✓	

[Type here bid number]

Landfill Compactor 826k

date [Type here]

Write bidder company name here. QUIND COMPANY al	nd return page. Page 7
Wheels must have hard-facing weld on the inner and outer edges of the drums outside diameter.	
Each wheel shall have drum extension to match machine's axle guarding.	✓
Wheels shall have factory installed wear bars welded to the inside cone of each wheel.	
Wheel cleaner fingers shall be available from machine manufacturer for working in cohesive materials or severe packing conditions.	✓
Machine manufacturer shall provide cleats/tips that are designed to complement tendered machine performance and resist plugging.	
Manufacturer shall provide a pro-rated 10,000-hour tip wear life guarantee.	✓

OPERATOR'S STATION

Cab shall be fully enclosed with rollover protective structure (ROPS) meeting the following criteria: SAE J1040 May '94, and ISO 3471: 1994.	1	
Cab shall also meet the falling object protective structure (FOPS) criteria: SAE J231 Jan '81: ISO 3449: 1992 LEVEL II.	1	
With cab properly maintained and doors and windows shut, cab shall meet operator sound exposure limits set according ANSI/SAE J1166 Oct '98.	1	
Cab shall be equipped with heater (Hot Water Type), factory built and installed air conditioning with roof mounted compressor, front and rear defroster, front and rear intermittent wet arm washer wipers and air suspension type seat with six (6) way adjustment with seat belt. Seat shall also have adjustable armrests.	1	
Cab shall have tinted & bonded, flat laminated safety glass that is readily available and installable by an automotive glass company.	✓	
Front window shall be equipped with sun visor or panoramic	1	

Tvpe	hara	hid		h1	
i i vue	nere	DIG	num	peri	

date [Type here]

Write bidder company name here. QUIND COMPANY	nd return page. Page 8
mirror.	
The cab shall have rear view mirrors.	✓
Standard front cab window guard.	✓ <u> </u>
Engine enclosure padding shall be available for even greater noise level reduction.	
Gauges for fuel level, engine coolant, hydraulic oil, torque converter oil temperature, and tachometer/speedometer shall be available as well as alerts for air inlet temperature, brake oil pressure, electrical system low voltage, engine oil pressure, engine overspeed, fuel pressure, hydraulic oil filter status, parking brake status, and transmission filter status.	
A 12-volt, 10-15 amp converter shall be available to power speakers, antenna, all wiring and brackets for communications or entertainment as well as phones and laptops.	
The operator's station shall have left door that can be fully opened and latched for easy entry and exit and an emergency exit WinDoor on RH side.	
A rear access walkover stairway shall be available for easy access to the operator's station.	
Machine shall have a fixed or swing-out rear access walkover stairway for easy inspection of rear axle components and access to engine compartment.	
Backup alarm, halogen front and rear lights, emergency starting receptacle and maintenance-free batteries shall be included.	

BLADE

Various blade selections of Straight blade, Semi-U blade or U- blade shall be made available and shall be suitable for installation on machine provided without modification and shall be made by the manufacturer of the machine.	1			
---	---	--	--	--

I	Type	hore	hid	num	horl
	IIVDE	Hele	DIG	num	Dei i

Write bidder company name here.

Landfill Compactor 826k

QUINN COMPANY

date [Type here]

and return page. Page 9

	Semi-U Blade shall be no less than 14'-10" (4522 mm) wide with an overall height of at least 6'-7" (2022 mm) including a trash screen specifically designed to allow maximum vision for the operator. The capacity of the blade shall be at least 20.9 cubic yards (16.0 cubic meters)	/			
	The capacity of the blade shall be at least 17 cubic yards (13 cubic meters).	/			
	Blade shall be equipped with reversible cutting edges and replaceable end bits	/			
	Blade shall be able to raise, lower and float.	/			
	SERVICEABILITY				
	Bottom of machine shall be easily accessed for engine and transmission service, inspection and cleaning.	/			
	All powertrain, crankcase and bottom guards shall be hydraulically actuated for raising and lowering.	/			
	Both sides of engine compartment shall have swing out doors that provide easy access to maintenance points.	/			
	All scheduled maintenance points shall be well within reach and ground level.	/			
	MINIMUM SERVICE & FLUID REFILL CAPACITIES				
	Fuel tank shall hold at least 206.6 gallons (782 L).	/			
	Cooling system shall hold at least 30.6 gallons (116 L).	/			
	Crankcase shall hold at least 9 gallons (34 L).	/			
	Transmission shall hold at least 17.4 gallons (66 L).	1			
	Differentials and Final Drives, front and rear, shall hold at least 55.50 gallons (210 L).	/			
ı			- 1		1

[Type here bid number]

Landfill Compactor 826k

date [Type here]

Write bidder company name here.	Quinn	Comp	ANY	and return	page.	Page 10	
The Hydraulic Tank shall hold at	least 35.4	gallons	(134 L).				

OWNING AND OPERATING COSTS

Engine shall have a 500-hour oil change interval.	1		
Transmission shall have a 1000-hour oil change interval.	1		
Differentials and Final Drives shall have a 2000-hour oil change interval.	/		
Hydraulic tank and system shall have a 4000-hour oil change interval.	/		
Total grease fittings shall be no more than 10.	1		

GUARDING PACKAGES

GUARDING PACKAGES	
An axle guarding system shall be supplied that is designed, fabricated and installed by original equipment manufacturer to protect components and seals from wire and other debris that might wrap around wheel or axle.	
Engine and powertrain guards shall shield components from debris as well as allow access for cleaning and maintenance.	
Machine shall have steel hood with appropriate locking side and top access doors.	✓
Machine shall have an easy access battery box.	/
Machine shall have a windshield guard to prevent breakage of lower portion of front windows	
Front frame guards shall prevent trash buildup inside the frame of the machine	
A rear fan and grill guard shall be available to provide extra protection for the rear fan and grill and shall have quick release.	
Machine shall have heavy duty handles and steps.	
Machine shall have lower center hinge pin guard.	~

[Type here bid number] Landfill Compact	or 826k	date [Type here]
Write bidder company name here. Quinn Company	and return page	e. Page 11
Lights (4 front facing and 4 rear facing) shall be avail night operations.	able for	1
GENRAL PACKAGES		
Keys, Min of 4 keys for ignition and 4 keys for boxes locks per unit.	and	
Manuel, Copy of Operator Manuel 1 per Vehicle	1	
Manuel, Copy of Maintenance Manuel 1 per order	✓	
Manuel, Copy of Maintenance Interval & Inspections order	l per	
Manuel, Copy of Parts book 1 per order	/	
Training Operator lever use and maintenance	/	
Training Technician level maintenance	/	

Vision Link Diagnostic & Vehicle Tracking with software & min 1yr subscription.

3 year/5,000 hour extended powertrain warranty from Caterpillar, 3 month/500 hour total parts warranty



2964 Addendum 1 LANDFILL COMPACTOR 826K

THE DATE TODAY IS: Friday, May 14, 2021

Please note the following changes, additions and/or deletions to this procurement named above.

 From the General Packages section there are two items below. Is this on-site training that should be included in the compactor price on the price page? Training Operator lever use and maintenance Training Technician level maintenance 							
Answer: Yes, please include in the compactor price with w	hat you/your company offers.						
2. From the General Packages section there is the below. Should this be included in the compactor price on the price page or can it be a separate line item? 3 year/5,000 hour extended powertrain warranty from Caterpillar, 3 month/500 hour total parts warranty							
Answer: Yes, please include in the compactor price with w	hat you/your company offers.						
3. In regards to service at the landfill, what local vend	lors currently do work at the landfill?						
Answer: Quinn Company and our Fleet department							
4. For each product you propose, complete the compactor pre-qualification checklist (page 3-11) and submit before the final day to accept bids and email to purchasing@ci.lompoc.ca.us or send by fax to (805)735-7628 on or before May 20, 2021. We will respond as quickly as possible. Send no cost price schedule for pre-qualification. If your product is not prequalified it may not be considered.							
======================================							
This Addendum may be acknowledged and returned separa Addendum may be emailed to purchasing@ci.lompoc.ca.us	ately on or before <u>May 20, 2021.</u> This signed s.						
Thank you,							
Luis Hilario Jr. Buyer							
Bidder's Acknowledgment: I/We the undersigned bidder hereby acknowledge this Addendum to BID #2964.							
(Please type or print and return)							
QUINN COMPANY	JACOB BATES						
	NAME OF AUTHORIZED REPRESENTATIVE						
Construction (In State & Construction (In Stat	S. ASTRONIED HE RECENTATIVE						
1655 CARLOTTI DR, SANTAMARIA, CA	JACOB BATES						

& Janet Mr.

93454

AUTHORIZED REPRESENTATIVE (PLEASE PRINT)

ADDRESS



148301-01

May 10, 2021

CITY OF LOMPOC ATTN ACCOUNTS PAYABLE 100 CIVIC CENTER PLAZA LOMPOC, California 93438-6916

Attention: LUIS HILARIO JR.

Dear Sir

We would like to thank you for your interest in our company and our products, and are pleased to quote the following for your consideration.

New Caterpillar Inc. Model: 826K Wheel Dozer & Compactor including standard and optional equipment as listed below.

STOCK NUMBER:

SERIAL NUMBER:

YEAR: 2021

SMU:

We wish to thank you for the opportunity of quoting on your equipment needs. This quotation is valid for 30 days, after which time we reserve the right to re-quote. Subject to availability. If there are any questions, please do not hesitate to contact me at (805) 245-0639 or jacob.bates@quinncompany.com.

Sincerely, Jacob Bates Machine Sales Representative

prob 7 Det

New Caterpillar Inc. Model: 826K Wheel Dozer & Compactor including standard and optional equipment as listed below.

MACHINE SPECIFICATIONS

826K LANDFILL COMPACTOR HRC	376-5010
LANE 3 ORDER	0P-9003
ENGINE + SOUND SUPPRESSION	376-5040
PRECLEANER, DUAL	377-0851
AXLES, NO-SPIN FRONT + REAR	376-5099
HYDRAULICS	386-2300
LIGHTS, LED	528-9817
PRODUCT LINK, CELLULAR PLE641	578-9008
STAIRWAY, SWINGOUT	382-1990
STRIKER BARS	477-3887
WHEELS, 48" COMBINATION TIPS	420-3478
FILMS, ANSI	593-8293
BLADE, SEMI-U	398-1102
MAPPING, GNSS SBAS	497-9368
HEATER, ENGINE COOLANT, 120V	246-2689
GUARD, REAR FAN + GRILL	364-7648
ANTIFREEZE, -50C (-58F)	0P-2406
FILM, AM-NORTH	504-1365
PACK, DOMESTIC TRUCK	0P-0063

WARRANTY & COVERAGE

Standard Warranty:

12 Months Full Machine

Extended Coverage:

36 Months / 5,000 Hours Powertrain

CSA

12 Months Vision Link Essentials

SELL PRICE	\$959,358.53
EXT WARRANTY	Included
CSA	Included
CARON WHEELS (OPTIONAL)	\$105,200.00
MAPPING, GNSS RTK (OPTIONAL)	\$60,066.00
NET BALANCE DUE	\$1,124,624.53
SALES TAX (8.75%)	\$98,404.65
AFTER TAX BALANCE	\$1,223,029.18

PAYMENT TERMS

Cash Invoice Terms

CASH WITH ORDER \$0.00

F.O.B/TERMS:

Destination

ADDITIONAL CONSIDERATIONS

City of Lompoc Bid Number 2964

Accepted by	on

Signature

OPTIONS:			
Components	Ref No.	Qty	Sell
CAT Components (Attachments)			
WHEELS, 48" DIAMOND TIPS	457-7896	1	\$37,937.45
WHEELS, 48" PADDLE TIPS	398-8542	1	(\$1,361.45)
WHEELS, 48" PLUS TIPS	398-8543	1	\$6,283.64
WHEELS, 40" PLUS TIPS	398-8544	1.	\$4,843.64
Other Components			
UPGRADE TO MAPPING, GNSS RTK; BASE & ROVER		1	\$60,066.00

Quote 148301-01

AMEREX AUTOMATIC / MANUAL FIRE SUPPRESSION SYSTEM	1	\$12,176.47
CARON STANDARD 47.25" WIDE WHEELS	1	\$105,200.00

date [Type here]

Write bidder company name here. Quinn Company and return page. Page 12 Price Page

Qty	1 each Compactor	Price
1	Manufacturer C AT	
	Model 826K	
	Model Year 2021	\$ 959,358.53
	Warranty 12 MONTHS FULL MACHINE & 36 MONTHS OR	
	5,000 HOURS POWERTRAIN	
1	Strobe Light Optional	INCLUDED
1	Wheels caron 40 inch Optional	\$105,200.00
1	Delete Remove Cleaner fingers Optional	NIA
	Add RTR 6N55 Mapping sitech optional	\$60,066.00
	List wheel Options separately including third party options	SEE QUOTE 148301 - 01
	Delivery Charges to Lompoc Landfill	INCLUDED
	Sales tax @ 8.75	\$ 98,404-65
	Total of all charges	\$ 1,223,029.18

Nearest City for Factory A	authorized Service	SANTA MI	ARIA,	CA
Miles to Lompoc City3	31			
Delivery on or beforeexpedited delivery date yo		ceipt of order? \	Ne are see	eking the best
FOB: DESTINAT			ed to mea	an you retain title unti
Can you offer a discount f	for payment in 20 Days	s: N/A	_ %?	

y Janol 7 Dot

Write bidder company name here.

Quinn ComPANY

and return page. Page 13

GENERAL TERMS AND CONDITIONS

ISSUANCE OF BID: This bid request creates no obligation on the part of the City and the City reserves the unconditional right, at its option, to either reject all bids or waive any irregularities or informalities therein.

BID SUBMISSION: Bids must be submitted on bid forms provided herein, completed and signed, showing on the outside of the envelope the name of bidder, bid title, and date and time of opening.

BID VALIDITY/WITHDRAWAL: Prices shall remain valid for ninety (90) days from date of opening and be inclusive. Bids submitted may be withdrawn by written request received BEFORE the hour set for opening. No bidder may withdraw their bid after the time set for opening.

LOWEST APPARENT BIDDER SUBMITTAL REQUIREMENTS: The lowest apparent bidder may be required to submit the following:

- a) Proof of authorized distributorship
- A sample or demonstration of any product/unit offered. Samples and/or demonstration must be free of expense to the City.
- c) City Business Tax number
- d) PUC permit
- e) Insurance requirements
- f) References

BRAND NAMES: Brand names are used to establish a level of quality only.

Bids will be considered for any brand which meets or exceeds the quality of the specifications listed for any item. Bids that deviate from the specifications must be clearly defined. The City will have the sole right to determine whether an alternate is acceptable.

WARRANTIES: Bidder will fully warrant all materials and equipment for a period of not less than one (1) year from date of final acceptance by the City unless otherwise noted.

All warranties, standard and extended, shall be shown on any units offered, and all costs related to the servicing of said warranties shall be clearly stated on bid form.

F.O.B. POINT AND SHIPPING CHARGES: All prices shall be quoted F.O.B. destination Lompoc, California. Any and all shipping, handling and freight charges shall be shown separately unless otherwise noted on bid form.

LAWS GOVERNING CONTRACT: The contract shall be in accordance with the laws of the State of California and the County of Santa Barbara is the only appropriate forum for any litigation.

In the event a suit or action is instituted arising out of any contract, the prevailing party shall be entitled to receive, in addition to its cost, such sum as the court may adjudge reasonable as to attorney's fees and costs.

TAXES (FEDERAL EXCISE/SALES OR USE/LOCAL PREFERENCE: The City is exempt from Federal Excise Tax. All taxes, if applicable, shall be shown on bid form page. ALL TAXES; Sales, Use and Local Preference will be a consideration in bid evaluation.

COOPERATIVE PURCHASING: The successful bidder may agree to extend all terms and conditions to other tax-supporting agencies upon their request.

These agencies will issue their own purchase order and be billed directly by supplier. Bidder's agreement or disagreement must be stated on bid form and will not effect bid evaluation.

BID PROTEST: Interested parties wishing to protest City solicitation documents may obtain a copy of Lompoc Code, Chapter 26, Section 2642, and Section 26 by calling the Purchasing Office at 805-875-8000 or on the City's web site at: https://www.cityoflompoc.com/home/showdocumentrid=656

AWARD: Contracts shall be awarded to the bidder whose offer is determined to be the most advantageous to the City from the standpoint of suitability to purpose, quality, service, previous experience, price, ability to deliver, or for any other reason deemed by the Purchasing Manager to be in the best interests of the City and, as such, will not be determined by price alone and may not be the lowest bid especially where services are of utmost importance.

Write bidder company name here.

QUIND COMPANY

and return page. Page 14

When there is more than one (1) item, the City reserves the right to award separately or as a whole. Bidders must state "all or none" on bid form. If optional items or trade-ins are requested, the City may accept or decline such items.

SELL OR ASSIGN: Contractor shall not have the right to sell, assign or transfer any obligations resulting from the award without the specific written consent of the Purchasing and Materials Manager.

AUTOMATIC REASONS **FOR DISQUALIFICATION OF BIDS**

Failure of bidder to fulfill all basic requirements will result in automatic bid rejection. A Letter of Bid Disqualification is sent to bidder failing to meet any of the requirements. The checklist of reasons for rejection as follows:

- Failure to sign bid document (in ink).
- Failure to ensure bid was received by City of Lompoc Purchasing Offices on or before bid opening date and time and the address specified in the bid.
- Failure to submit bid in ink (pencil is unacceptable).
- Failure to provide bid security (if required and in the form and amount specified).
- Failure to attend mandatory bidders' conference or mandatory site inspection.
- Failure to initial price alterations (in ink) for one

or more items.

- Failure to provide information or other supplemental materials as specified in the RFP or bid.
- Failure to bid on all items when specifically required.

These items are self-explanatory and are applied equally and irrevocably to all vendors and their bids. Therefore, bidders must be conscientious in fulfilling all requirements in order to have their bids considered for award.

NOTE that telephone, telefacsimile, or telegraph bids will not be accepted for publicly advertised bid requirements which specify sealed bid submissions.

ENTIRE AGREEMENT Any Agreement resulting from this Bid will consist of the following documents, in order of precedence, and shall be the entire agreement between parties:

- Purchase Order
- B. CITY's Invitation to Bid
- C. Attachments
- CONTRACTOR's Bid D.