



DATE: January 26, 2022

TO: Planning Commission Members

FROM: Brian Halvorson, Planning Manager

SUBJECT: Public Hearing Item # 1 (CUP 21-03, Dish Wireless)

Conditions of approval relating to Storm Water and Engineering requirements were inadvertently left out of the draft conditions of approval for the proposed wireless telecommunication facility at Ryon Park (CUP 21-03).

Therefore, staff requests that the Commission add the attached draft conditions as part of their motion this evening when considering this item for approval.

STORMWATER – PROJECT SPECIFIC CONDITIONS

- S1. All storm water that flows from paved areas of vehicle travel, parking or uncovered outdoor storage, shall be filtered for trash, sediment, oil and grease, prior to discharge into City streets, storm drains, infiltration SCMs, or landscaped areas. Trash filters shall be of the type required by the City and the State Water Resources Control Board at the time of installation (5mm openings maximum).
- S2. No pollutants, including, but not limited to, sediment, chemicals, trash and contaminated storm water shall be discharged from private property into, or where they could be transported to, City property, the City's storm drain system, streets, storm channels, or waterways, either during or after construction.

ENGINEERING – GENERAL CONDITIONS

- EN1. Public Improvements are required with this development. Public Improvements include all work within the public right-of-way or easement, as well as improvements to public infrastructure. Separate Public Improvement Plans **are not required**. Public Improvements must be shown on the Building Permit Plan Set. As such, the Building permit Plan Set (once approved) will be used for encroachment permit issuance.

Public Improvements:

- a. Utilities – Electric (conduit, transformers, street lights, etc.), Water, and Sewer
- b. Streets, Sidewalk, and Curb & Gutter (Public and Private)
- c. Street Signing and Striping
- d. Drainage – Storm Drain Lines, Inlets & Filters, Main Lines, Sidewalk Drains, etc.
- e. Existing and proposed public easements (permanent structures shall not be constructed over any public easements)

Private Improvements:

- a. Connection Points to utility mains for sewer laterals, water services and storm drain.

- EN2. All Public Improvements shall be provided at the Applicant's expense and in accordance with City of Lompoc "Standard Requirements for the Design and Construction for Subdivisions and Special Developments". These Standard Requirements are available at:

<http://www.cityoflompoc.com/standards/>

- EN3. "Development Assistance Brochures" are available to facilitate the preparation of plans and reports by the Applicant's engineer and are an essential reference for the preparation of the Grading and Public Improvements Plan submittals. "Development Assistance Brochures" are available at:

http://www.cityoflompoc.com/PublicWorks/develop_asst.htm

- EN4. In conformance with Title 12, Chapter 12.28.040 of the Lompoc City Code, the Improvement Plans, including but not limited to, grading, water, sewer, streets, electrical system, and other surface and subsurface improvements, shall be prepared based upon the control monuments as established by the City of Lompoc Coordinate Control System by Record Of Survey filed August 22, 2003, in Book 172, Pages 4 through 7, Santa Barbara County Records.

All drawings, improvement plans and survey maps shall be prepared in accordance with the requirements currently in effect.

Easement Dedication

- EN5. All public utilities such as water mains, sewer mains, electric lines, electric transformers, etc., within the development shall be located within public utilities easements (PUE).

PUE's shall be dedicated by grant deed as described below and shall be prepared by a licensed land surveyor or qualified civil engineer. Grant deed forms are available at:

<http://www.cityoflompoc.com/PublicWorks/engineering.htm>

Applicant shall submit a draft copy of the deed (including an 8-1/2"x11" deed map and legal exhibit) to the Engineering Division for review and approval. With draft submittal include all referenced documents and a preliminary title report current within the last ninety days.

After the Engineering Division has reviewed and approved the draft grant deed, the Applicant will submit the original deed to the Engineering Division for acceptance and recordation. The submitted deed originals must be signed by the grantee(s) and notarized, and signed and stamped by a licensed land surveyor or qualified civil engineer. A PUE deed ready for recordation shall be on file in the Engineering Division prior to approval of the Improvement Plans.

Permits & Fees

- EN6. Encroachment Permit Fees are based on the City fee schedule in effect at the time of permit issuance.
- EN7. An Encroachment Permit shall be obtained from the Engineering Division for any work within City street right-of-way or easement. An itemized Engineer's cost estimate for construction of the proposed public improvements noted in EN1 shall be submitted to the Engineering Division and is used for determining the Encroachment Permit Fee. The Form used for Cost Estimates may be obtained on the City's website at the following location.

<http://www.cityoflompoc.com/PublicWorks/engineering.htm>

Final Approval

- EN8. Prior to issuance of the Certificate of Occupancy, any Public Improvements damaged during construction shall be repaired as directed by the Public Works Inspector and in conformance with the City of Lompoc Standard Plans and Specifications.
- EN9. Prior to issuance of the Certificate of Occupancy, Record Drawings in conformance with Development Assistance Brochure (DAB) E-30 shall be prepared and approved by the City Engineer. DAB E-30 can be downloaded from the City Engineering web page

(<http://www.cityoflompoc.com/departments/pworks/engineering.htm>).

EN10. After construction is complete and the City has approved the Record Drawings, the Applicant shall provide the Engineering Division with a copy of the Record Drawings, in a computer format (DWG, DGN or DXF file) readily compatible for transfer to the City Geographic Information System. Record Drawing information submitted in computer format will include, but not be limited, to the following:

WATER	WASTEWATER	ELECTRIC	DRAINAGE	SURFACE
Mains	Mains	Lines	Manholes	Road
Valves	Manholes	Transformers	Inlets	Curb/Gutter
Blow-offs	Lift Stations	Junction Boxes	Swales	Sidewalk
Air Vacs	Laterals	Pull Boxes	Basins	Drives
Fire Hydrants		Poles	Structures	Access Ramps
Services		Street Lights	Filters	Parking Lots
Meters			Curb Drains	Survey Mon's
RP Backflow				Retaining Walls
				Bus Turnouts

ENGINEERING – PROJECT SPECIFIC CONDITIONS

EN11. **Prior to issuance of the wireless Encroachment Permit**, the permittee shall file with the City, and shall maintain in good standing throughout the term of the approval, a performance bond or other surety or another form of security for the removal of the facility in the event that the use is abandoned or the permit expires, or is revoked, or is otherwise terminated. The security shall be in the amount equal to 100% of the cost of removal of the facility as specified in the application or as that amount may be modified by the Community Development Director in the permit based on the characteristics of the installation.